







PIG® Ultra-Duty Adhesive-Backed Grippy® Floor Mat

GRP36200 Indoor Use on Concrete, Vinyl, Linoleum, Tile and Laminate Flooring,3' x 100',1 roll

Hassling with rubber-backed floor mats or rental mats? Make the switch to the mat that sticks; our super-safe, adhesive-backed ultra-duty floor mat creates a safe walking surface in entrances and aisleways.

- 3' x 100' mediumweight roll allows you to customize the amount of walk off and floor coverage you need to provide a high-traction walking surface in wet problem spots for customers and employees; replaces outdated rental and rubber-backed floor mats and rugs
- Place in doorways and entrances, walkways and aisleways, transition areas, breakrooms and cafeterias, along produce walls or floral displays, on production floors, ramps and loading docks, beneath water fountains, ice machines and beverage stations or under liquid hazard areas
- Adhesive-backed floor mat stays exactly where you put it with no shifting, bunching up or ripples that cause slips and trips
- Dries out quickly without moisture soaking through to the floor; absorbs water, oil and grease and traps dirt and salt to keep it from being tracked around
- Stays in place for up to 3 to 6 months, depending on conditions and traffic patterns
- Weighs less than rental and rubber-backed mats for less hassle, saves you up to 50% per year on rental contracts and has a lower environmental impact
- Easy to clean: you can sweep, vacuum, mop, use your shop/wet vac or run your floor scrubber over Grippy Mat and it won't budge
- The thinnest commercial floor mat you can buy: no rippled edges to obstruct doors or create tripping hazards. ADA compliant for wheelchairs and walkers; carts and pallet jacks roll right over it
- Sticks to most commercial floor surfaces including concrete, vinyl, linoleum, ceramic tile, quarry tile and laminate flooring
- Tested and Certified by the National Floor Safety Institute (NFSI): high-traction surfaces such as PIG Ultra-Duty Grippy Mat have been

- proven to reduce slip-and-fall claims by as much as 90%
- Mats take on the properties of absorbed liquids
 - always take proper precautions when handling saturated absorbents
- See Resources &Downloads section for product use guidance



per Pallet













Item#	Description	Dimensions	Weight
GRP36200-BK		3' W x 100' L	25 lbs.
GRP36200-GY		3' W x 100' L	25 lbs.
Metric Equivalent:			
Item#	Description	Dimensions	Weight
GRP36200-BK		91cm W x 30m L	11.3 kg
GRP36200-GY		91cm W x 30m L	11.3 kg
Specifications			
Absorbency Range		1 - 9.9 gal.	
Dimensions		3' W x 100' L	
Mat Weight		Mediumweight	
Absorbency		Up to 8 gal. per roll	
Brand		PIG	
Category		Grippy® Ultra-Duty Ma	t
Flammability Specifications		Flame Resistant - Will melt and self-extinguish	
Fluid Absorbed		Water; Grease; Oils	
Incinerable		Yes	
Industry		Commercial Facilities/F	Retail
Intended Use		Indoor Use on Concrete	e, Vinyl, Linoleum, Tile and Laminate
Storage Temp Range		Store between 32°F an	d 120°F
Temperature Limit		Surface temps from 55°F to 120°F	
Traffic		Heavy Foot Traffic; Car	rts & Equipment
UV Resistant		No	
Sold as		1 roll	
Weight		25 lbs.	

18

Composition	Absorbent: Polypropylene Adhesive Backing: Proprietary Adhesive Material
UNSPSC	47131901
Pigalog® Page Number	Page 27

Metric Equivalent

Absorbency	Up to 30.3 L per roll
Weight	11.3 kg
Dimensions	91cm W x 30m L

Technical Information

Certifications, Approvals and Ratings

ADA Compliant, NFSI Certified, ANSI B101.1-2009

Technical Documents

PIG Adhesive-Backed Mats

The Complete Slip, Trip & Fall Risk Zone Audit

New Pig Adhesive-Backed Mat Notice

Instructions for PIG Grippy Mat Cleaning & Care Guide

Instructions for PIG Grippy Mat Application, Cleaning and Care Guide

Technical Data Sheet for PIG® Adhesive-Backed Grippy Floor Mat

White Paper- Getting a Grip on Slips, Trips and Falls

White Paper- The Walk Zone Safety Report

29 CFR 1910.22(a)(2)



One Pork Avenue • Tipton, PA 16684-0304

1-855-493-4647 • Fax: 1-800-621-7447 • newpig.com • hothogs@newpig.com