


SPECIFICATIONS							
CONTACT CARRIER MATERIAL	NYLON OR TPU						
CONTACT MATERIAL/PLATING	BRASS/GOLD						
HOUSING MATERIAL/PLATING	BRASS/NICKEL						
O-RING MATERIAL	NBR						
RATED CURRENT [A]	1.0 A						
RATED VOLTAGE [V]	125 VAC/VDC						
CONDUCTOR INSULATION MATERIAL	PVC						
NUMBER OF CONDUCTORS [AWG]	3x26 AWG						
TEMPERATURE RANGE	-25°C to +80°C (-13°F to +176°F)						
PROTECTION CLASS	MEETS IEC IP67						



CABLE LENGTH	TOLERANCE*				
ALL LENGTHS	+ 4% (OR 50mm) OF LENGTH - 0% (OR 0mm) OF LENGTH WHICHEVER IS GREATER				
STRIP LENGTH	TOLERANCE*				
0-7mm	±0.5mm				
8-29mm	±1.0mm				
30-49mm	±2.0mm				
50-69mm	±3.0mm				
70-100mm	±4.0mm				
OVER 100mm	±5.0mm				
* UNLESS OTHERWISE SPECIFIED					

NOTES:

1. "*" INDICATES LEAD LENGTH IN METERS. CONTACT TURCK TO ORDER SPECIFIC LENGTHS.

В	DRAWING PROCESSED AS PART OF ECO 33971	СВМ	04/06/11	33971
REV	DESCRIPTION	BY	DATE	ECO NO.

SOURCE DRAWING - FOR REFERENCE ONLY

RELATED DOCUMENTS 1. 2. 3. 4.	3RD ANGLE PROJECTION	THIS DRAWING IS CONFIDENTIAL AND THE PROPERTY OF TURCK INC. USE OF THIS DOCUMENT WITHOUT WRITTEN PERMISSION IS PROHIBITED.		RC	MINNEAPOLIS 1-800-5 (763) 5 (763) 5	IPUS DRIVE S, MN 55441 544–7769 53–7300 53–0708 fax urck.us
MATERIAL		DRFT JBJ	DATE 03/21/03	DESCRIPTION	\/FC 7 *	
SEE SPECIFICATIONS	ALL DIMENSIONS DISPLAYED ON THIS	APVD J.S.	SCALE 1=.5		VFS 3-*	
	DRAWING ARE FOR REFERENCE ONLY	UNIT OF ME	ASUREMENT	IDENTIFICATION NO.		REV
FINISH		MILLIMETE		IDENTIFICATION NO.		
SEE SPECIFICATIONS	CONTACT TURCK FOR MORE INFORMATION	MILLIMETE				B
		DO NOT SCALE	THIS DRAWING	FILE: 777002409	s	SHEET 1 OF 1